


## ROUND TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	13422	5.60	1.20	0.045
2	13311	6.20	0.90	0.040
3	13125	6.20	1.20	0.050
4	13176	6.35	1.50	0.062
5	13245	6.35	2.07	0.075
6	13576	7.25	1.42	0.070
7	13118	7.40	1.50	0.075
8	13286	7.75	1.00	0.057
9	13481	7.80	1.00	0.058
10	13255	8.00	1.00	0.059
11	13355	8.00	1.20	0.069
12	13036	8.00	1.27	0.072
13	13063	8.00	1.50	0.083
14	13445	8.00	2.00	0.102
15	13149	8.30	1.45	0.084
16	S3793	8.60	0.80	0.053
17	13265	8.80	2.65	0.138
18	13208	9.00	0.53	0.038
19	13329	9.05	1.00	0.063
20	13326	9.20	0.78	0.056
21	13284	9.35	0.55	0.041
22	13209	9.35	0.64	0.048
23	13553	9.35	0.65	0.048
24	13163	9.50	1.35	0.093
25	13144	9.52	0.78	0.058
26	13003	9.52	0.92	0.067
27	13210	9.52	1.00	0.073
28	13303	9.52	1.13	0.080
29	13001	9.52	1.22	0.086
30	13002	9.52	1.63	0.109
31	13536	9.70	1.40	0.099
32	13394	10.00	0.80	0.062
33	13524	10.00	0.82	0.064
34	13097	10.00	1.00	0.076
35	13093	10.00	1.50	0.108
36	13436	10.50	0.51	0.043
37	13381	10.50	1.70	0.127
38	13159	10.80	1.40	0.112
39	13578	11.00	0.42	0.038
40	13207	11.00	0.48	0.043
41	13488	11.00	3.00	0.204
42	13396	11.10	1.00	0.086
43	13277	11.11	1.60	0.129
44	13227	11.70	0.65	0.061
45	13231	12.00	0.48	0.047
46	13181	12.00	0.55	0.054
47	13145	12.00	0.72	0.068
48	13130	12.00	0.91	0.086
49	13128	12.00	1.00	0.093

SL. No.	Section No.	ØA	B	Weight kg/m
50	13462	12.00	3.00	0.229
51	13004	12.70	0.86	0.086
52	13005	12.70	1.19	0.116
53	13006	12.70	1.63	0.153
54	13007	12.70	2.03	0.184
55	13058	12.70	2.20	0.196
56	13263	13.00	1.00	0.102
57	13126	13.00	1.85	0.175
58	S4122	14.00	0.87	0.097
59	13234	14.00	1.55	0.164
60	13237	14.00	3.10	0.287
61	13067	14.50	1.22	0.137
62	13211	15.00	0.54	0.066
63	13182	15.00	0.60	0.073
64	13008	15.00	2.00	0.221
65	13267	15.00	4.75	0.413
66	13228	15.20	0.72	0.088
67	13465	15.40	3.20	0.331
68	13009	15.88	0.92	0.117
69	13212	15.88	0.96	0.121
70	13010	15.88	1.22	0.152
71	13011	15.88	1.63	0.197
72	13459	15.88	2.00	0.235
73	13012	15.88	2.38	0.272
74	13274	16.00	1.00	0.127
75	13070	16.00	2.20	0.257
76	13124	16.00	2.75	0.309
77	13334	16.90	2.45	0.300
78	13232	17.00	0.56	0.078
79	13169	17.00	2.60	0.318
80	13071	17.10	2.10	0.267
81	13346	17.50	5.55	0.562
82	13157	18.00	0.60	0.089
83	13492	18.00	1.30	0.184
84	13132	18.00	1.63	0.226
85	13185	18.00	2.00	0.271
86	13579	18.50	0.47	0.072
87	13213	18.50	0.51	0.078
88	S3503	18.50	0.54	0.082
89	13183	18.50	0.60	0.091
90	13146	18.50	0.72	0.108
91	13165	19.00	1.15	0.174
92	13335	19.00	2.65	0.367
93	13257	19.05	0.82	0.127
94	13013	19.05	0.92	0.141
95	13214	19.05	0.95	0.145
96	13014	19.05	1.12	0.171
97	13368	19.05	1.20	0.182
98	13304	19.05	1.30	0.195
99	13015	19.05	1.63	0.241
100	13016	19.05	1.70	0.249
101	13460	19.05	2.00	0.289
102	13017	19.05	2.50	0.351
103	13461	19.05	3.18	0.428
104	13072	19.60	2.30	0.337
105	13150	19.60	2.40	0.350
106	13035	19.60	3.05	0.428

SL. No.	Section No.	ØA	B	Weight kg/m
107	13347	19.80	6.20	0.715
108	13359	20.00	1.00	0.161
109	13018	20.00	1.25	0.199
110	13409	20.00	1.50	0.235
111	13113	20.00	1.63	0.254
112	13251	20.00	3.15	0.450
113	13272	21.00	5.10	0.688
114	13336	21.10	3.00	0.460
115	13107	21.20	2.55	0.403
116	S3938	21.40	4.80	0.676
117	13073	21.50	2.50	0.403
118	13168	21.70	3.10	0.489
119	13262	22.00	0.55	0.099
120	13253	22.00	0.85	0.152
121	S3683	22.00	1.00	0.178
122	S3781	22.00	1.20	0.212
123	13562	22.00	1.25	0.220
124	13561	22.00	1.60	0.277
125	13238	22.00	4.10	0.623
126	13589	22.00	5.00	0.721
127	13019	22.22	0.88	0.159
128	13376	22.22	1.20	0.214
129	13061	22.22	1.60	0.280
130	13278	22.23	1.00	0.180
131	13314	23.00	5.00	0.763
132	13384	23.00	1.40	0.257
133	13427	23.00	3.00	0.509
134	13108	23.70	2.85	0.504
135	13337	23.90	3.65	0.626
136	13147	24.00	0.84	0.165
137	13308	24.00	1.25	0.241
138	13133	24.00	1.63	0.309
139	13080	24.00	2.75	0.496
140	13523	25.00	1.00	0.204
141	13117	25.00	1.22	0.246
142	13034	25.00	1.50	0.299
143	13363	25.00	1.50	0.299
144	13470	25.00	1.50	0.299
145	13020	25.00	2.00	0.390
146	13021	25.00	2.50	0.447
147	13122	25.00	4.00	0.713
148	13378	25.00	6.45	1.015
149	13369	25.40	0.83	0.173
150	13215	25.40	0.87	0.181
151	13222	25.40	1.00	0.207
152	13305	25.40	1.06	0.219
153	13022	25.40	1.22	0.250
154	13306	25.40	1.22	0.250
155	13023	25.40	1.60	0.323
156	13129	25.40	1.90	0.379
157	13090	25.40	3.20	0.603
158	13293	25.40	5.95	0.981
159	13444	25.91	4.63	0.836
160	13441	26.00	3.00	0.585
161	S3894	26.67	3.17	0.633
162	13186	27.00	2.50	0.520
163	13127	27.00	3.00	0.611
164	13109	27.00	3.20	0.646

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
165	13318	27.00	5.50	1.003
166	13338	27.20	3.95	0.779
167	13387	27.50	1.50	0.331
168	13360	28.00	1.00	0.229
169	13401	28.00	1.60	0.358
170	13110	28.00	3.00	0.636
171	S3997	28.00	3.00	6.36
172	13038	28.00	4.00	0.814
173	13315	28.00	9.50	1.491
174	13114	28.60	1.63	0.373
175	13081	28.60	3.30	0.708
176	13429	28.70	2.28	0.511
177	13417	29.00	1.00	0.238
178	13235	29.00	2.50	0.562
179	13386	30.00	0.70	0.174
180	13260	30.00	0.77	0.191
181	13382	30.00	1.00	0.246
182	13047	30.00	1.50	0.363
183	13264	30.00	2.00	0.475
184	13379	30.00	2.30	0.540
185	13190	30.00	2.50	0.583
186	13101	30.00	5.25	1.102
187	13171	30.00	6.65	1.318
188	13068	30.00	7.25	1.399
189	13024	30.10	1.22	0.299
190	13339	30.20	4.20	0.926
191	13111	31.00	3.50	0.816
192	13254	31.75	0.95	0.248
193	13229	31.75	1.05	0.273
194	13571	31.75	1.00	0.261
195	13530	31.75	1.10	0.286
196	13025	31.75	1.22	0.316
197	13026	31.75	1.63	0.416
198	13027	31.75	2.00	0.505
199	13094	31.75	3.18	0.771
200	13458	31.80	4.50	1.042
201	13328	32.00	1.20	0.314
202	13248	32.00	1.60	0.412
203	13100	32.00	2.00	0.509
204	S4047	32.00	3.00	0.738
205	13082	32.00	3.50	0.846
206	13066	32.00	4.00	0.950
207	13375	32.00	4.50	1.050
208	13496	32.00	8.00	1.629
209	13581	32.00	10.00	1.866
210	13591	32.80	5.80	1.328
211	13137	33.00	3.50	0.875
212	13483	33.00	6.20	1.409
213	13044	33.00	6.25	1.418
214	13570	33.30	1.10	0.300
215	13358	33.80	1.50	0.411
216	13199	34.00	5.75	1.378
217	13447	34.00	8.75	1.874
218	13342	34.80	4.90	1.242
219	13442	35.00	1.20	0.344
220	13393	35.00	3.00	0.814
221	13202	35.00	4.50	1.164
222	13316	35.00	7.00	1.663

SL. No.	Section No.	ØA	B	Weight kg/m
223	S3860	35.00	8.50	1.911
224	13585	35.20	4.50	1.172
225	13446	35.90	4.95	1.300
226	13135	36.00	2.00	0.576
227	13103	36.00	4.00	1.085
228	S3427	36.00	7.50	1.813
229	13443	36.00	8.00	1.900
230	13567	36.10	1.60	0.468
231	13250	36.50	3.00	0.852
232	S4146	37.00	1.50	0.511
233	13388	37.00	5.00	1.357
234	13083	37.50	4.25	1.198
235	13256	37.90	1.70	0.522
236	13411	38.00	1.20	0.375
237	13091	38.00	2.00	0.611
238	13323	38.00	5.90	1.606
239	13057	38.00	6.50	1.737
240	13385	38.00	6.75	1.789
241	13367	38.00	7.50	1.940
242	13224	38.10	1.30	0.405
243	13028	38.10	1.63	0.504
244	13029	38.10	2.00	0.612
245	13030	38.10	2.50	0.755
246	13060	38.10	3.96	1.147
247	13099	38.10	7.55	1.956
248	13140	38.20	3.20	0.950
249	13041	39.00	8.00	2.103
250	S3426	39.00	9.00	2.290
251	13340	39.10	5.45	1.555
252	13480	40.00	1.20	0.395
253	13078	40.00	1.50	0.490
254	13048	40.00	2.00	0.645
255	13152	40.00	2.50	0.795
256	13098	40.00	3.00	0.941
257	13134	40.00	4.00	1.221
258	13370	40.00	5.00	1.484
259	13507	40.00	7.00	1.959
260	13389	40.00	8.00	2.171
261	13276	40.00	11.00	2.705
262	13504	40.60	1.80	0.592
263	13489	40.80	4.00	1.249
264	13174	41.00	5.00	1.527
265	13416	41.80	4.56	1.440
266	13089	42.00	2.00	0.679
267	13319	42.00	7.50	2.195
268	13584	42.00	8.25	2.362
269	13412	42.00	11.50	2.975
270	13419	42.16	4.85	1.535
271	13449	42.20	4.925	1.557
272	13564	42.70	9.35	2.645
273	13116	43.00	7.00	2.137
274	S3458	43.40	10.00	2.833
275	13468	44.00	3.00	1.043
276	13194	44.00	10.00	2.884
277	13341	44.40	6.35	2.049
278	13096	45.00	2.00	0.729
279	13077	45.00	2.50	0.901
280	13200	45.00	4.00	1.391
281	13331	45.00	5.00	1.696

SL. No.	Section No.	ØA	B	Weight kg/m
282	13487	45.00	14.00	3.681
283	13565	45.20	10.30	3.049
284	13494	45.30	10.90	3.181
285	13505	45.70	1.80	0.670
286	13084	46.00	5.00	1.738
287	13136	46.00	5.50	1.889
288	13310	46.00	6.00	2.035
289	13298	48.00	4.00	1.492
290	13138	48.00	5.00	1.823
291	13056	48.00	8.75	2.913
292	13088	48.00	9.00	2.977
293	13512	48.10	4.60	1.697
294	13408	48.16	4.51	1.670
295	13172	48.26	3.68	1.391
296	13420	48.26	5.08	1.861
297	13510	48.30	04.00	1.503
298	13588	48.41	4.47	1.666
299	S3397	49.90	10.75	3.570
300	13271	50.00	1.50	0.617
301	13467	50.00	2.00	0.814
302	13064	50.00	2.50	1.007
303	13065	50.00	3.00	1.196
304	13121	50.00	5.00	1.908
305	13327	50.00	6.00	2.239
306	13371	50.00	7.50	2.704
307	13583	50.00	10.00	3.393
308	13469	50.15	2.50	1.010
309	13131	50.20	3.10	1.238
310	13031	50.80	1.63	0.680
311	13506	50.80	1.80	0.748
312	13032	50.80	2.03	0.840
313	13033	50.80	2.50	1.024
314	13414	50.80	3.00	1.216
315	13282	50.80	6.35	2.400
316	13112	51.00	6.00	2.290
317	S3923	51.80	3.65	1.491
318	13042	52.00	7.00	2.672
319	13037	52.00	9.50	3.425
320	13437	54.00	1.60	0.711
321	13170	54.00	10.00	3.732
322	13268	55.00	2.50	1.113
323	13398	55.80	7.35	3.021
324	S3809	56.00	5.50	2.356
325	13556	56.80	14.40	5.179
326	13085	57.00	6.75	2.877
327	S3981	57.00	7.50	3.149
328	13549	57.00	18.00	5.955
329	13049	57.60	2.90	1.346
330	13372	58.80	11.50	4.614
331	13062	59.50	4.50	2.099
332	13075	60.00	2.00	0.984
333	13395	60.00	2.50	1.219
334	13196	60.00	10.00	4.241
335	13438	60.00	20.00	6.786
336	13218	60.32	3.91	1.870
337	13525	60.33	5.28	2.468
338	13236	60.33	5.54	2.575
339	S3982	61.00	8.00	3.596
340	13239	62.00	6.37	3.005

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
341	13050	63.00	1.60	0.833
342	13526	63.00	2.00	1.035
343	13453	63.00	3.00	1.527
344	13404	63.00	4.00	2.002
345	13397	63.00	9.00	4.122
346	13059	63.50	3.18	1.627
347	13139	63.50	7.00	3.354
348	13448	64.00	6.00	2.952
349	13175	65.00	1.00	0.542
350	13119	66.00	6.00	3.053
351	13241	66.20	3.05	1.633
352	13046	69.35	3.18	1.782
353	13166	69.50	12.50	6.043
354	13508	70.00	5.00	2.757
355	13040	70.00	17.50	7.793
356	S3592	70.00	25.00	9.543
357	13451	70.50	19.75	8.502
358	13299	72.00	12.00	6.107
359	13153	73.03	5.16	2.970
360	13086	73.03	7.00	3.920
361	13233	75.00	3.00	1.832
362	13193	75.00	18.00	8.702
363	13269	76.00	2.50	1.559
364	13115	76.00	7.00	4.096
365	13187	76.10	4.50	2.732
366	13225	76.20	1.30	0.825
367	13259	76.20	1.60	1.012
368	S4072	76.20	2.00	1.259
369	13141	76.20	3.18	1.970
370	13281	76.20	6.35	3.762
371	13051	76.20	9.50	5.375
372	13498	76.50	23.50	10.565
373	13471	78.18	4.00	2.517
374	13217	80.00	2.50	1.643
375	13569	80.00	3.00	1.959
376	13120	80.00	4.00	2.579
377	13349	80.00	5.00	3.180
378	13191	80.00	6.00	3.766
379	13391	80.00	8.00	4.886
380	13515	80.00	11.50	6.682
381	13164	80.00	15.00	8.270
382	13324	80.00	25.00	11.663
383	13527	80.20	2.00	1.327
384	13216	82.00	7.00	4.453
385	13261	82.00	21.50	11.033
386	13092	82.55	3.20	2.154
387	13313	85.00	1.30	0.922
388	13189	86.00	8.00	5.293
389	13045	86.35	3.18	2.243
390	13154	88.90	4.05	2.915
391	13106	88.90	5.36	3.798
392	13430	88.90	5.49	3.884
393	13142	88.90	6.35	4.446
394	13295	88.90	7.62	5.253
395	13493	88.90	9.52	6.410
396	S3585	90.00	2.50	1.856
397	13074	90.00	4.00	2.918
398	13055	90.00	17.50	10.762
399	13192	91.80	3.30	2.477


SL. No.	Section No.	ØA	B	Weight kg/m
400	S3523	92.00	14.50	9.532
401	13552	92.00	22.00	13.063
402	13582	92.10	6.27	4.568
403	13500	95.25	12.70	8.893
404	13204	96.00	11.50	8.243
405	13179	96.00	19.50	12.653
406	13320	96.50	5.00	3.880
407	13198	96.50	10.00	7.337
408	13592	96.50	25.00	15.162
409	13423	98.00	4.00	3.189
410	13258	98.00	26.00	15.878
411	13095	100.00	3.20	2.627
412	13242	100.00	4.00	3.257
413	13540	100.00	5.00	4.029
414	13520	100.00	6.00	4.784
415	13252	100.00	8.00	6.243
416	S4073	101.60	2.30	1.937
417	13219	101.60	3.20	2.671
418	13069	101.60	5.74	4.667
419	13296	101.60	8.08	6.409
420	13407	101.60	10.00	7.770
421	13495	101.60	19.05	13.339
422	13322	102.00	12.00	9.160
423	S3521	105.00	2.50	2.174
424	S4052	106.00	3.70	3.211
425	13151	108.00	3.00	2.672
426	13344	109.00	2.00	1.815
427	S4152	110.00	15.00	12.087
428	13160	112.00	1.90	1.774
429	13178	112.00	11.50	9.803
430	13491	113.50	7.20	6.492
431	13158	114.30	6.35	5.814
432	13330	114.30	8.56	7.678
433	13076	114.50	4.50	4.199
434	13490	114.50	5.50	5.085
435	13380	117.70	11.75	10.560
436	13345	118.00	2.00	1.967
437	13348	120.00	1.50	1.507
438	13548	120.00	3.00	2.977
439	13593	120.00	5.00	4.877
440	13586	120.00	8.00	7.600
441	S4018	120.00	10.00	9.331
442	S3681	120.00	12.00	11.931
443	13366	120.65	6.35	6.156
444	13399	122.00	23.50	19.634
445	13541	122.50	30.00	23.538
446	13533	125.00	2.00	2.087
447	13173	125.00	6.50	6.533
448	13413	125.00	12.00	11.502
449	13052	125.00	20.00	17.813
450	13321	127.00	3.50	3.666
451	13201	130.00	7.50	7.793
452	13390	130.00	9.00	9.237
453	S3513	130.00	12.00	12.011
454	13595	130.00	25.00	22.266
455	13450	130.00	28.50	24.537
456	S3522	130.00	33.50	27.421
457	13454	132.00	5.00	5.386
458	13542	133.00	4.00	4.377

SL. No.	Section No.	ØA	B	Weight kg/m
459	13105	133.00	5.00	5.429
460	13517	133.00	28.00	24.938
461	13374	135.00	32.50	28.257
462	13301	136.00	16.50	16.725
463	13283	137.00	26.00	24.480
464	13392	139.70	7.35	8.251
465	13405	140.00	4.00	4.614
466	13432	140.00	9.00	10.001
467	13424	140.00	10.50	11.534
468	13587	140.00	17.50	18.184
469	13477	141.30	9.53	10.652
470	13279	143.00	6.00	6.972
471	13439	143.00	29.00	28.042
472	13457	144.00	35.25	32.516
473	13357	145.00	7.50	8.747
474	13244	145.00	32.50	31.013
475	13534	146.00	17.50	19.075
476	13426	147.00	4.50	5.439
477	13361	150.00	2.00	2.511
478	13509	150.00	5.00	6.150
479	13501	150.00	13.60	15.735
480	13476	152.00	10.00	12.045
481	13400	152.00	31.00	31.817
482	13499	153.00	22.50	24.906
483	13484	153.50	13.25	15.763
484	13547	153.60	44.00	40.905
485	13406	154.00	4.00	5.089
486	13563	154.00	5.00	6.319
487	13522	155.00	2.50	3.234
488	13373	155.00	16.00	18.865
489	S4053	155.00	30.50	32.209
490	13456	156.00	29.50	31.654
491	13594	156.00	8.00	10.043
492	13543	158.00	4.00	5.225
493	13246	159.00	4.50	5.897
494	13123	160.00	5.50	7.208
495	13440	160.00	5.50	7.208
496	13428	160.00	6.00	7.838
497	13402	160.00	8.00	10.314
498	13511	160.00	13.00	16.210
499	13559	160.00	25.50	29.092
500	13529	160.00	35.00	37.110
501	13528	160.40	4.00	5.307
502	13249	162.00	11.00	14.089
503	13538	165.00	4.50	6.126
504	13474	165.00	44.50	45.484
505	13351	168.00	4.50	6.240
506	13415	168.00	7.50	10.210
507	13518	168.00	25.00	30.324
508	S4074	168.30	3.50	4.893
509	13502	168.30	10.97	14.640
510	13544	169.00	4.50	6.279
511	13550	170.00	5.00	6.998
512	13290	172.00	10.00	13.741
513	13287	172.00	17.00	22.350
514	13537	173.00	19.00	24.819
515	13285	173.00	24.00	30.333
516	13161	173.80	6.40	9.087
517	13425	175.00	15.00	20.358

## ROUND TUBES, IRRIGATION TUBES & SQUARE TUBES


SL. No.	Section No.	ØA	B	Weight kg/m
518	13573	175.00	22.50	29.105
519	13289	177.80	12.70	17.785
520	13516	178.00	20.50	27.387
521	13433	180.00	6.50	9.566
522	13275	180.00	15.00	20.993
523	13352	184.00	4.50	6.851
524	13356	184.50	6.00	9.084
525	13535	185.00	11.00	16.235
526	13247	190.00	5.00	7.846
527	13560	190.00	9.00	13.818
528	13503	195.00	13.50	20.784
529	13350	195.00	17.50	26.348
530	13354	195.00	25.00	36.050
531	13452	195.00	29.50	41.413
532	13353	200.00	4.50	7.462
533	S3723	200.00	5.00	8.270
534	13403	200.00	8.00	13.029
535	13497	202.00	9.53	15.559
536	13472	202.00	18.50	28.795
537	13539	205.00	5.00	8.482
538	13280	205.00	27.00	40.765
539	13418	206.00	8.50	14.240
540	13464	207.00	28.50	43.152
541	13557	210.00	5.00	8.694
542	13513	210.00	15.00	24.811
543	13545	210.00	5.00	8.694
544	13575	219.30	4.20	7.663
545	13519	220.00	6.50	11.771
546	13590	220.00	8.00	14.386
547	13580	220.00	9.50	16.962
548	S3904	220.00	10.00	17.813
549	13532	220.00	17.50	30.059
550	13478	225.00	5.00	9.331
551	13434	225.00	6.50	12.047
552	13572	225.00	20.00	34.777
553	13475	226.00	11.00	20.061
554	S4016	226.00	42.00	65.551
555	S3347	227.00	12.50	22.743
556	13551	230.00	5.00	9.543
557	S3772	230.00	25.00	43.472
558	S3771	230.00	28.00	47.976
559	13568	234.00	27.00	47.408
560	13410	235.00	8.00	15.404
561	13463	242.00	19.50	36.803
562	13574	245.00	35.00	62.345
563	S3935	246.00	30.00	54.965
564	13482	250.00	5.00	10.391
565	S4163	252.00	11.00	22.487
566	13473	252.00	17.00	33.887
567	13555	252.00	17.00	33.887
568	13546	260.00	5.00	10.815
569	13558	270.00	5.00	11.239
570	13514	270.00	14.00	30.401
571	13431	271.00	8.00	17.847
572	13435	275.00	7.50	17.018
573	S3827	282.00	8.50	19.719
574	13554	290.00	5.00	12.087

### IRRIGATION TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	13981	50.80	1.27	0.534
2	13987	63.50	1.27	0.670
3	13982	76.20	1.27	0.807
4	13983	101.60	1.27	1.080
5	13984	127.00	1.32	1.407
6	13985	152.40	1.47	1.882
7	13986	203.20	1.92	3.278

### SQUARE TUBES



SL. No.	Section No.	A	B	Weight kg/m
1	14490	11.00	0.60	0.067
2	14519	12.00	0.55	0.068
3	14481	12.00	0.64	0.078
4	14527	12.20	1.20	0.143
5	14499	12.70	0.70	0.090
6	14485	12.70	0.81	0.104
7	14451	12.70	1.22	0.151
8	14452	12.70	1.63	0.195
9	14502	15.88	1.27	0.200
10	14491	16.00	1.00	0.162
11	14478	17.00	0.62	0.109
12	14474	17.50	1.44	0.245
13	14472	18.00	1.22	0.221
14	14531	18.00	2.00	0.345
15	14512	18.15	0.64	0.121
16	14486	18.50	0.69	0.133
17	14496	18.50	0.90	0.171
18	S4123	19.00	3.00	0.518
19	14482	19.05	1.13	0.219
20	14453	19.05	1.22	0.235
21	14454	19.05	1.63	0.307
22	14521	20.00	1.50	0.299
23	14509	20.00	1.70	0.335
24	14532	22.50	0.52	0.123
25	14483	22.50	0.55	0.130
26	14479	22.50	0.63	0.148
27	14487	23.00	0.76	0.182
28	14477	23.50	0.87	0.212
29	14469	23.50	1.02	0.247
30	14520	24.50	0.67	0.172
31	14470	25.00	1.50	0.381
32	14504	25.00	1.80	0.451
33	14516	25.00	2.80	0.671
34	14476	25.40	0.82	0.219
35	14466	25.40	1.25	0.326

SL. No.	Section No.	A	B	Weight kg/m
36	14455	25.40	1.63	0.418
37	14456	25.40	2.00	0.505
38	14465	25.40	2.41	0.598
39	14505	30.00	1.80	0.548
40	14497	30.00	3.00	0.874
41	14467	31.75	1.25	0.412
42	14457	31.75	1.63	0.530
43	14458	31.75	2.00	0.643
44	14529	32.00	1.70	0.556
45	14475	32.00	2.60	0.825
46	14488	35.00	0.93	0.342
47	14513	35.00	2.00	0.712
48	14535	37.35	4.70	1.657
49	14524	37.50	0.80	0.317
50	14468	38.10	1.25	0.497
51	14511	38.10	1.37	0.547
52	14459	38.10	1.63	0.642
53	14460	38.10	2.13	0.827
54	14461	38.10	2.41	0.929
55	14533	38.10	5.00	1.787
56	14534	38.10	6.35	2.177
57	14518	40.00	0.80	0.339
58	14506	40.00	1.80	0.743
59	14480	40.00	3.00	1.198
60	14514	40.00	2.85	1.143
61	14522	44.45	2.00	0.917
62	14473	44.46	3.20	1.426
63	14471	50.00	1.18	0.621
64	14525	50.00	1.50	0.785
65	14510	50.00	1.70	0.887
66	14462	50.00	2.00	1.037
67	14515	50.00	2.30	1.185
68	14503	50.00	2.70	1.379
69	14463	50.80	2.40	1.254
70	14464	50.80	3.05	1.573
71	14498	60.00	4.00	2.419
72	14500	62.00	3.80	2.388
73	14489	62.00	5.00	3.078
74	14492	63.50	2.38	1.571
75	14507	75.00	2.70	2.108
76	14526	75.00	3.20	2.481
77	14493	76.20	2.38	1.897
78	14494	87.00	3.80	3.415
79	14484	87.00	4.00	3.586
80	14495	87.00	5.00	4.428
81	14508	100.00	3.00	3.142
82	14517	101.60	3.18	3.374
83	14528	150.00	3.00	4.763
84	14530	200.00	4.00	8.467