


ROUND TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	13422	5.60	1.20	0.045
2	13311	6.20	0.90	0.040
3	13125	6.20	1.20	0.050
4	13176	6.35	1.50	0.062
5	13245	6.35	2.07	0.075
6	13118	7.40	1.50	0.075
7	13286	7.75	1.00	0.057
8	13255	8.00	1.00	0.059
9	13355	8.00	1.20	0.069
10	13036	8.00	1.27	0.072
11	13063	8.00	1.50	0.083
12	13445	8.00	2.00	0.102
13	13149	8.30	1.45	0.084
14	13265	8.80	2.65	0.138
15	13208	9.00	0.64	0.046
16	13329	9.05	1.00	0.0628
17	13326	9.20	0.78	0.056
18	13284	9.35	0.55	0.041
19	13209	9.35	0.64	0.048
20	13163	9.50	1.35	0.093
21	13144	9.52	0.78	0.058
22	13003	9.52	0.92	0.067
23	13210	9.52	1.00	0.073
24	13303	9.52	1.13	0.080
25	13001	9.52	1.22	0.086
26	13002	9.52	1.63	0.109
27	13394	10.00	0.80	0.062
28	13097	10.00	1.00	0.076
29	13093	10.00	1.50	0.108
30	13436	10.50	0.51	0.043
31	13381	10.50	1.70	0.127
32	13159	10.80	1.40	0.112
33	13207	11.00	0.48	0.043
34	13396	11.10	1.00	0.086
35	13277	11.11	1.60	0.129
36	13227	11.70	0.65	0.061
37	13231	12.00	0.48	0.047
38	13181	12.00	0.55	0.054
39	13145	12.00	0.72	0.068
40	13130	12.00	0.91	0.086
41	13128	12.00	1.00	0.093
42	13004	12.70	0.86	0.086
43	13005	12.70	1.19	0.116
44	13006	12.70	1.63	0.153
45	13007	12.70	2.03	0.184
46	13058	12.70	2.20	0.196
47	13263	13.00	1.00	0.102
48	13126	13.00	1.85	0.175
49	13167	13.60	2.00	0.197
50	13234	14.00	1.55	0.164
51	13237	14.00	3.10	0.287

SL. No.	Section No.	ØA	B	Weight kg/m
52	13266	14.00	4.25	0.351
53	13270	14.00	3.35	0.302
54	13067	14.50	1.22	0.137
55	13211	15.00	0.54	0.066
56	13182	15.00	0.60	0.073
57	13008	15.00	2.00	0.221
58	13267	15.00	4.75	0.413
59	13228	15.20	0.72	0.088
60	13009	15.88	0.92	0.117
61	13212	15.88	0.96	0.121
62	13010	15.88	1.22	0.152
63	13011	15.88	1.63	0.197
64	13012	15.88	2.38	0.272
65	13274	16.00	1.00	0.127
66	13070	16.00	2.20	0.257
67	13124	16.00	2.75	0.309
68	13334	16.90	2.45	0.300
69	13232	17.00	0.56	0.078
70	13169	17.00	2.60	0.318
71	13071	17.10	2.10	0.267
72	13346	17.50	5.55	0.562
73	13157	18.00	0.60	0.089
74	13132	18.00	1.63	0.226
75	13185	18.00	2.00	0.271
76	13213	18.50	0.54	0.082
77	13183	18.50	0.60	0.091
78	13146	18.50	0.72	0.108
79	13165	19.00	1.15	0.174
80	13335	19.00	2.65	0.367
81	13013	19.05	0.92	0.141
82	13257	19.05	0.82	0.127
83	13214	19.05	0.95	0.145
84	13014	19.05	1.12	0.171
85	13368	19.05	1.20	0.182
86	13304	19.05	1.30	0.195
87	13015	19.05	1.63	0.241
88	13016	19.05	1.70	0.249
89	13017	19.05	2.50	0.351
90	13072	19.60	2.30	0.337
91	13150	19.60	2.40	0.350
92	13035	19.60	3.05	0.428
93	13347	19.80	6.20	0.715
94	13359	20.00	1.00	0.161
95	13018	20.00	1.25	0.199
96	13409	20.00	1.50	0.235
97	13113	20.00	1.63	0.254
98	13251	20.00	3.15	0.450
99	13272	21.00	5.10	0.688
100	13336	21.10	3.00	0.460
101	13107	21.20	2.55	0.403
102	13073	21.50	2.50	0.403
103	S1971	21.50	3.75	0.565
104	13168	21.70	3.10	0.489
105	13262	22.00	0.55	0.099
106	13253	22.00	0.85	0.152
107	13238	22.00	4.10	0.623
108	13377	22.00	4.85	0.706
109	13019	22.22	0.88	0.159

SL. No.	Section No.	ØA	B	Weight kg/m
110	13376	22.22	1.20	0.214
111	13061	22.22	1.60	0.280
112	13143	22.22	3.17	0.512
113	13278	22.23	1.00	0.180
114	13314	23.00	5.00	0.763
115	13384	23.00	1.40	0.257
116	13427	23.00	3.00	0.509
117	13108	23.70	2.85	0.504
118	13337	23.90	3.65	0.626
119	13147	24.00	0.84	0.165
120	13308	24.00	1.25	0.241
121	13133	24.00	1.63	0.309
122	13080	24.00	2.75	0.496
123	13117	25.00	1.22	0.246
124	13034	25.00	1.50	0.299
125	13363	25.00	1.50	0.299
126	13020	25.00	2.00	0.390
127	13021	25.00	2.50	0.447
128	13122	25.00	4.00	0.713
129	13378	25.00	6.45	1.015
130	13369	25.40	0.83	0.173
131	13215	25.40	0.87	0.181
132	13222	25.40	1.00	0.207
133	13305	25.40	1.06	0.219
134	13022	25.40	1.22	0.250
135	13306	25.40	1.22	0.250
136	13023	25.40	1.60	0.323
137	13129	25.40	1.90	0.379
138	13090	25.40	3.20	0.603
139	13293	25.40	5.95	0.981
140	13444	25.91	4.63	0.836
141	13441	26.00	3.00	0.585
142	S1912	26.00	3.50	0.668
143	13184	26.90	2.30	0.480
144	13186	27.00	2.50	0.520
145	13127	27.00	3.00	0.611
146	13109	27.00	3.20	0.646
147	13318	27.00	5.50	1.003
148	13338	27.20	3.95	0.779
149	13387	27.50	1.50	0.331
150	13360	28.00	1.00	0.229
151	13401	28.00	1.60	0.358
152	13110	28.00	3.00	0.636
153	13038	28.00	4.00	0.814
154	13315	28.00	9.50	1.491
155	13114	28.60	1.63	0.373
156	13081	28.60	3.30	0.708
157	13429	28.70	2.28	0.511
158	13417	29.00	1.00	0.238
159	13235	29.00	2.50	0.562
160	13386	30.00	0.70	0.174
161	13260	30.00	0.77	0.191
162	13382	30.00	1.00	0.246
163	13047	30.00	1.50	0.363
164	13264	30.00	2.00	0.475
165	13379	30.00	2.30	0.540
166	13190	30.00	2.50	0.583
167	13101	30.00	5.25	1.102

ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
168	13171	30.00	6.65	1.318
169	13068	30.00	7.25	1.399
170	13024	30.10	1.22	0.299
171	13339	30.20	4.20	0.926
172	13104	30.40	1.20	0.297
173	13240	30.50	2.25	0.539
174	13111	31.00	3.50	0.816
175	13254	31.75	0.95	0.248
176	13229	31.75	1.05	0.273
177	13025	31.75	1.22	0.316
178	13026	31.75	1.63	0.416
179	13027	31.75	2.00	0.505
180	13094	31.75	3.18	0.771
181	13328	32.00	1.20	0.314
182	13248	32.00	1.60	0.412
183	13100	32.00	2.00	0.509
184	13082	32.00	3.50	0.846
185	13066	32.00	4.00	0.950
186	13375	32.00	4.50	1.050
187	13137	33.00	3.50	0.875
188	S2065	33.00	6.20	1.409
189	13044	33.00	6.25	1.418
190	13297	33.50	4.05	1.011
191	13358	33.80	1.50	0.411
192	13199	34.00	5.75	1.378
193	13447	34.00	8.75	1.874
194	13342	34.80	4.90	1.242
195	13442	35.00	1.20	0.344
196	13393	35.00	3.00	0.814
197	13202	35.00	4.50	1.164
198	13316	35.00	7.00	1.663
199	13446	35.90	4.95	1.300
200	13135	36.00	2.00	0.576
201	13102	36.00	3.00	0.840
202	13103	36.00	4.00	1.085
203	13443	36.00	8.00	1.900
204	13250	36.50	3.00	0.852
205	13079	36.54	1.27	0.380
206	13203	37.00	3.00	0.865
207	13388	37.00	5.00	1.357
208	13083	37.50	4.25	1.198
209	13256	37.90	1.70	0.722
210	13411	38.00	1.20	0.375
211	13091	38.00	2.00	0.611
212	13323	38.00	5.90	1.606
213	13057	38.00	6.50	1.737
214	13385	38.00	6.75	1.789
215	13367	38.00	7.50	1.940
216	13224	38.10	1.30	0.405
217	13028	38.10	1.63	0.504
218	13029	38.10	2.00	0.612
219	13030	38.10	2.50	0.755
220	13060	38.10	3.96	1.147
221	13099	38.10	7.55	1.956
222	13140	38.20	3.20	0.950
223	13041	39.00	8.00	2.103
224	13340	39.10	5.45	1.555
225	S1913	40.00	1.20	0.395

SL. No.	Section No.	ØA	B	Weight kg/m
226	13078	40.00	1.50	0.490
227	13048	40.00	2.00	0.645
228	13152	40.00	2.50	0.795
229	13098	40.00	3.00	0.941
230	13134	40.00	4.00	1.221
231	13370	40.00	5.00	1.484
232	13389	40.00	8.00	2.171
233	13276	40.00	11.00	2.705
234	13174	41.00	5.00	1.527
235	13416	41.80	4.56	1.440
236	13089	42.00	2.00	0.679
237	13319	42.00	7.50	2.195
238	13412	42.00	11.50	2.975
239	13419	42.16	4.85	1.535
240	13197	43.00	3.00	1.017
241	13383	43.00	5.00	1.612
242	13116	43.00	7.00	2.137
243	13194	44.00	10.00	2.884
244	13341	44.40	6.35	2.049
245	13096	45.00	2.00	0.729
246	13077	45.00	2.50	0.901
247	13200	45.00	4.00	1.391
248	13331	45.00	5.00	1.696
249	S2060	45.00	14.00	3.681
250	13084	46.00	5.00	1.738
251	13136	46.00	5.50	1.889
252	13310	46.00	6.00	2.035
253	13188	48.00	2.00	0.780
254	13298	48.00	4.00	1.492
255	13138	48.00	5.00	1.823
256	13056	48.00	8.75	2.913
257	13088	48.00	9.00	2.977
258	13408	48.16	4.51	1.670
259	13172	48.26	3.68	1.391
260	13420	48.26	5.08	1.861
261	13271	50.00	1.50	0.617
262	13064	50.00	2.50	1.007
263	13065	50.00	3.00	1.196
264	13121	50.00	5.00	1.908
265	13327	50.00	6.00	2.239
266	13371	50.00	7.50	2.704
267	13131	50.20	3.10	1.238
268	13031	50.80	1.63	0.680
269	13032	50.80	2.03	0.840
270	13033	50.80	2.50	1.024
271	13414	50.80	3.00	1.216
272	13282	50.80	6.35	2.400
273	13112	51.00	6.00	2.290
274	13042	52.00	7.00	2.672
275	13037	52.00	9.50	3.425
276	13437	54.00	1.60	0.711
277	13170	54.00	10.00	3.732
278	13268	55.00	2.50	1.113
279	13398	55.80	7.35	3.021
280	13039	56.35	3.18	1.434
281	13085	57.00	6.75	2.877
282	13049	57.60	2.90	1.346
283	13372	58.80	11.50	4.614


SL. No.	Section No.	ØA	B	Weight kg/m
284	13062	59.50	4.50	2.099
285	13075	60.00	2.00	0.984
286	13395	60.00	2.50	1.219
287	13196	60.00	10.00	4.241
288	13438	60.00	20.00	6.786
289	13218	60.32	3.91	1.870
290	13236	60.33	5.54	2.575
291	13148	61.50	3.75	1.836
292	13239	62.00	6.37	3.005
293	13050	63.00	1.60	0.833
294	13404	63.00	4.00	2.002
295	13397	63.00	9.00	4.122
296	13059	63.50	3.18	1.627
297	13139	63.50	7.00	3.354
298	13448	64.00	6.00	2.982
299	13175	65.00	1.00	0.542
300	13119	66.00	6.00	3.053
301	13241	66.20	3.05	1.633
302	13046	69.35	3.18	1.782
303	13166	69.50	12.50	6.043
304	13040	70.00	17.50	7.793
305	13299	72.00	12.00	6.107
306	13153	73.03	5.16	2.970
307	13086	73.03	7.01	3.926
308	13087	74.20	2.60	1.579
309	13233	75.00	3.00	1.832
310	13193	75.00	18.00	8.702
311	13269	76.00	2.50	1.559
312	13115	76.00	7.00	4.096
313	13187	76.10	4.50	2.732
314	13225	76.20	1.30	0.825
315	13259	76.20	1.60	1.012
316	13141	76.20	3.18	1.970
317	13281	76.20	6.35	3.762
318	13051	76.20	9.50	5.375
319	13217	80.00	2.50	1.643
320	13120	80.00	4.00	2.579
321	13349	80.00	5.00	3.180
322	13191	80.00	6.00	3.766
323	13391	80.00	8.00	4.886
324	13164	80.00	15.00	8.270
325	13324	80.00	25.00	11.663
326	13216	82.00	7.00	4.453
327	13261	82.00	21.50	11.033
328	13092	82.55	3.20	2.154
329	13313	85.00	1.30	0.922
330	13189	86.00	8.00	5.293
331	13364	86.00	9.25	6.022
332	13045	86.35	3.18	2.243
333	13365	87.00	14.00	8.669
334	13154	88.90	4.05	2.915
335	13106	88.90	5.36	3.798
336	13430	88.90	5.49	3.884
337	13142	88.90	6.35	4.446
338	13295	88.90	7.62	5.253
339	13162	90.00	3.50	2.568
340	13074	90.00	4.00	2.918
341	13055	90.00	17.50	10.762

ROUND TUBES & IRRIGATION TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
342	13192	91.80	3.30	2.477
343	13204	96.00	11.50	8.243
344	13179	96.00	19.50	12.653
345	13320	96.50	5.00	3.880
346	13198	96.50	10.00	7.337
347	13423	98.00	4.00	3.189
348	13258	98.00	26.00	15.878
349	13421	99.50	5.00	4.008
350	13095	100.00	3.20	2.627
351	13242	100.00	4.00	3.257
352	13252	100.00	8.00	6.243
353	13219	101.60	3.20	2.671
354	13069	101.60	5.74	4.667
355	13296	101.60	8.08	6.409
356	13407	101.60	10.00	7.770
357	13322	102.00	12.00	9.160
358	13151	108.00	3.00	2.672
359	13344	109.00	2.00	1.815
360	13455	110.00	5.00	4.453
361	13160	112.00	1.90	1.774
362	13178	112.00	11.50	9.803
363	13158	114.30	6.35	5.814
364	13330	114.30	8.56	7.678
365	13076	114.50	4.50	4.199
366	S1844	114.50	5.50	5.085
367	13380	117.70	11.75	10.560
368	13345	118.00	2.00	1.967
369	13348	120.00	1.50	1.507
370	13366	120.65	6.35	6.156
371	13399	122.00	23.50	19.634
372	13173	125.00	6.50	6.533
373	13053	125.00	7.00	7.006
374	13413	125.00	12.00	11.502
375	13052	125.00	20.00	17.813
376	13321	127.00	3.50	3.666
377	13201	130.00	7.50	7.793
378	13390	130.00	9.00	9.237
379	13454	132.00	5.00	5.386
380	13105	133.00	5.00	5.429
381	13374	135.00	32.50	28.257
382	13301	136.00	16.50	16.725
383	13283	137.00	26.00	24.480
384	13392	139.70	7.35	8.251
385	13405	140.00	4.00	4.614
386	13432	140.00	8.50	9.481
387	13424	140.00	10.50	11.534
388	13279	143.00	6.00	6.972
389	13439	143.00	29.00	28.042
390	13357	145.00	7.50	8.747
391	13244	145.00	32.50	31.013
392	13426	147.00	4.50	5.439
393	13361	150.00	2.00	2.511
394	13400	152.00	31.00	31.817
395	S1940	153.50	13.25	15.763
396	13406	154.00	4.00	5.089
397	13373	155.00	16.00	18.865
398	13246	159.00	4.50	5.897
399	13123	160.00	5.50	7.208

SL. No.	Section No.	ØA	B	Weight kg/m
400	13440	160.00	5.50	7.208
401	13428	160.00	6.00	7.838
402	13402	160.00	8.00	10.314
403	13249	162.00	11.00	14.089
404	13351	168.00	4.50	6.240
405	13415	168.00	7.50	10.210
406	13290	172.00	10.00	13.741
407	13287	172.00	17.00	22.350
408	13285	173.00	24.00	30.333
409	13161	173.80	6.40	9.087
410	13425	175.00	15.00	20.358
411	13289	177.80	12.70	17.785
412	13433	180.00	6.50	9.566
413	13275	180.00	15.00	20.993
414	13352	184.00	4.50	6.851
415	13356	184.50	6.00	9.084
416	13247	190.00	5.00	7.846
417	13350	195.00	17.50	26.348
418	13354	195.00	25.00	36.050
419	13353	200.00	4.50	7.462
420	13403	200.00	8.00	13.029
421	13280	205.00	27.00	40.765
422	13418	206.00	8.50	14.24
423	S1766	207.00	28.50	43.152
424	S1874	225.00	5.00	9.331
425	13434	225.00	6.50	12.047
426	S1853	226.00	11.00	20.061
427	13410	235.00	8.00	15.404
428	S1765	242.00	19.50	36.803
429	S1881	250.00	5.00	10.391
430	13431	271.00	8.00	17.847
431	13435	275.00	7.50	17.018

IRRIGATION TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	13981	50.80	1.27	0.534
2	13987	63.50	1.27	0.670
3	13982	76.20	1.27	0.807
4	13983	101.60	1.27	1.080
5	13984	127.00	1.32	1.407
6	13985	152.40	1.47	1.882
7	13986	203.20	1.92	3.278